EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3).ab. and (count$6 near30 (gps (global adj position$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:24
L2	2433	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3) near5 list$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:24
L3	604	"455"/$.ccls. and ((((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3) near5 list$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:25
L4	316	"455"/$.ccls. and ((((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state))) near5 list$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:26
L5	72	"455"/$.ccls. and (list$3 adj3 ((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:27
L6	51	"455"/$.ccls. and (list$3 adj2 ((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:27
L7	24	"455"/$.ccls. and (list adj2 ((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:30
L8	97	"455"/$.ccls. and (list adj9 ((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 14:31

L9	97	"455"/$.ccls. and (list adj9 ((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)))	US-PGPUB; USPAT	OR	ON	2006/09/30 15:08
L10	7	((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3).ab. and (count$6 near30 one near30 (gps (global adj position$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 15:32
S1	277	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3) near30 (count$3 adj12 (equal$5 equiv$5))	USPAT	OR	ON	2006/08/21 09:05
S2	56	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3) near30 (count$3 adj12 (equal$5 equiv$5) adj6 (data number value predetermin$5 preset$5 preference))	USPAT	OR	ON	2006/08/12 16:07
S3	88	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3) near30 (count$3 adj12 (equal$5 equiv$5) adj6 (data number value predetermin$5 preset$5 preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:09

EAST Search History

S4	48	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6))).ab. and (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6))) near30 (count$3 adj12 (equal$5 equiv$5) adj6 (data number value predetermin$5 preset$5 preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:38
S5	770	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6))).ab. and counter adj6 one	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:35
S6	15	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6))).ab. and counter adj value adj2 one	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:35
S7	259	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6))) and (count$3 adj12 (equal$5 equiv$5) and (data number value predetermin$5 preset$5 preference)).clm.	US-PGPUB	OR	ON	2006/08/12 16:38

EAST Search History

S8	63	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6))) and (count$3 adj12 (equal$5 equiv$5) and (channel link path resource) and (data number value predetermin$5 preset$5 preference)).clm.	US-PGPUB	OR	ON	2006/08/12 16:40
S9	44	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6))) and (count$3 adj12 (equal$5 equiv$5) and time and (channel link path resource) and (data number value predetermin$5 preset$5 preference)).clm.	US-PGPUB	OR	ON	2006/08/12 16:41
S17	146	"455"/$.ccls. and count$5 same (time near1 (interval period amo$4)) same (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	USPAT	OR	ON	2006/08/17 16:07
S18	7	"455"/$.ccls. and count$5 same ((increas$5 exten$5 add$5) near6 (time near1 (interval period amo$4))) same (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	USPAT	OR	ON	2006/08/17 16:10
S19	15	count$5 same (strength quality) same ((incre$8 exten$5 add$5) near6 (time near1 (interval period amo$4))) same (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 18:22

S21	13	count$5 same ((strength quality) near12 (threshold$5 thres-hold predetermin$5 preset$5 preferen$4 value)) same ((incre$8 exten$5 add$5) adj6 time) same (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 18:25
S23	34	((strength quality noise) near12 (threshold$5 thres-hold predetermin$5 preset$5 preferen$4 value)) same ((incre$8 exten$5 add$3 addition additional) adj6 time) same (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 18:28
S24	40	((strength quality noise lost) near12 (threshold$5 thres-hold predetermin$5 preset$5 preferen$4 value)) same ((incre$8 exten$5 add$3 addition additional) adj6 time) same (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 18:35
S25	44	((strength quality noise lost interrupt interf$7) near12 (threshold$5 thres-hold predetermin$5 preset$5 preferen$4 value)) same ((incre$8 exten$5 add$3 addition additional) adj6 time) with (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 18:44

EAST Search History

S26	15	((strength quality noise lost interrupt interf$7) near12 (threshold$5 thres-hold predetermin$5 preset$5 preferen$4 value)) same ((incre$8 exten$5 add$3 addition additional) adj6 duration) with (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 18:51
S27	16	((strength quality noise lost interrupt interf$7) near12 (threshold$5 thres-hold predetermin$5 preset$5 preferen$4 value)) same ((incre$8 exten$5 add$3 addition additional) adj6 duration) with (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 18:55
S30	81	((strength quality noise lost interrupt interf$7) near12 (threshold$5 thres-hold predetermin$5 preset$5 preferen$4 value)) same ((incre$8 exten$5 add$3 addition additional longer) adj6 (interval period duration time)) with (((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3 ((batter$5 power) adj3 (sav$5 conserv$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 20:16
S33	393	455/407.ccls. 455/405.ccls.	USPAT	OR	ON	2006/08/18 12:27
S35	2	(Dokko near3 Seh).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 12:25
S36	135	379/114.17.ccls. 379/121.03.ccls. 379/144.06.ccls.	USPAT	OR	ON	2006/09/30 15:21

EAST Search History

S40	525	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3) and (flag near30 (count$3 adj12 (equal$5 equiv$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 09:08
S41	3	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3).ab. and (flag near30 (count$3 adj12 (equal$5 equiv$5))) same (channel link path rf resource (radio adj frequenc$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 09:11
S42	8264	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3).ab. and (tim$4 timeou$5 near30 (period intervel period limit$5) near30 (count$3 adj12 (equal$5 equiv$5))) same (channel link path rf resource (radio adj frequenc$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 09:14
S43	2	(((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3).ab. and (((tim$4 timeou$5) near3 (period intervel period limit$5)) near30 (count$3 adj12 (equal$5 equiv$5))) same (channel link path rf resource (radio adj frequenc$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 09:17
S44	2829	((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3).ab. and (count$6 near30 one (gps (global adj position$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 09:18
S45	7	((quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle sleep slept awak$3 wak$3).ab. and (count$6 near30 one near30 (gps (global adj position$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 15:32